C. A. MALARKEY, President.

W. L. LINDHARD, V.-Pres. & Mgr. F. S. WEBSTER. Sec. & Treas.

GLEVELAND OIL & PAINT MANUF'G GO.'S

·· READY-MIXED ·

CLEVELAND COTTAGE

STRUCTURAL

COLORS

Manufactured from . . Pure Lead, Zinc, Linseed Oil and the Necessary Coloring Material.

PUT UP IN ONE-EIGHTH, ONE-QUARTER, ONE-HALF, ONE & FIVE GAL. TINS, & BARRELS OF 45 to 55 GALS. EACH.

It will Cover on an Average 275 sq. feet. Two Coats.

OFFICE.

Paint Factory & Oil Refinery,

N. W. Cor. Front & Stark Sts. 202 & 204 Fourteenth St.

PORTLAND : OREGON.

For Sale by

PRACTICAL HINTS.

FOLLOW DIRECTIONS ON CAN.

Stir the Paint thoroughly before using. Let the first coat get thoroughly dry before applying the second. Should the Paint become too thick by standing open, it may thinned with Raw Linseed Oil, except for Inside Work, for which use Turpentine. The surface should be thoroughly dry before the paint is applied, otherwise any paint will blister and scale off. Always begin at the top in painting and work down, taking care to remove all dust in advance of your work, and covering all knots, pitchy or sappy portions of the wood with shellac varnish or the Lindhard Liquid Filler. We will in no case guarantee our paint unless it is applied according to directions.

WAGON BLUE, 7.	VERMILION, 21. BLIND GREEN, 48.

Rule for Ascertaining Amount of Paint Required.

Add together the four sides in feet. Multiply this sum by average height, divide product by 250, and the result will be the number of gallons required for a two-coat job on a dry and porous surface. Thus: A house 20 x 40 x 25 will take.

FIOH					-	20 feet.		
Rear		-	•	-	-	20 feet.		
Side,			-	-	-	40 feet.		
_ ·Side,	-	-	-	-	-	40 feet.		
						_		
Multiply by height, - 25								
Multi	ply by	r he	ight,	, -	. 0	25		
751 1					_	_		
Divi	de by	-		250);	3.00	0/12 collons		

This Paint will cover according to the condition of the surface from 250 to 300 or an average of 275 sq. ft. per gallon, two coats.

Any color not on this card will be made without extra charge if ordered in not less than 10 Gallon lots.

List of our Manufactured Products.

Cleveland Cottage Colors.

Cieveland Floor Paint.

Imperial Cement, Fire and Water-proof, Roof, Bridge and Barn Paint.

1000

Cleveland Barrel Paint.

The Lindhard Liquid Filler.

Pure Linseed Oil Primer, Light and Dark, ready for the brush.

Marine Copper Paint.

Cleveland Dipping Paint.

Webster-Lindhard Family Paint.

Malarkey's Carriage Paint.

Radiator Maroon.

Oil Wood-Stain.

Smoke Stack Black.

American & French Zincs ground in Oil & in Varnish.

Full line of Strictly Pure Colors ground in Oil, Japan and Distemper.

Black-Board Slating.

The Lindhard Combination Liquid Stain and Filler.

The Lindhard Hardwood Filler.

Cleveland Tinted Lead.

Perfection Mortar Stains.

Lindhard Iron Filler.

Pure Linseed Oil Putty.

Flat Brick Red, and

35 Different Grades of Lubricating Oils of High Standard.

Sample cards, price list and letters of recommendation for above, mailed on application.

NOTICE.—We extistly invite you to make close comparative tests in the market, in oself of the fact that are giving you from 5° to 15 per cent more value or your money than any of our competitors. We could not offer this great advantage to our customers, were it not for our being Manufacturers, importers and Jobbers combined.

Respectfully yours,

CLEVELAND OIL & PAINT MFG CO.

Sample Shades GLEVELAND GOTTAGE GOLORS

ADE FROM PURE WHITE LEAD, ZINC, LINSEED OIL AND THE NECESSARY COLORING MATERIAL.

MANUFACTURED BY THE

CLEVELAND OIL & PAINT MANUF'G CO.

C. A. MALARKEY, Prest.

W. L. LINDHARD, V.-Prest, & Mgr.

F. S. WEBSTER, Sec. & Treas.

PORTLAND, ORE.

NOTICE.—This card has been made to match our paint when wet, and in making selections allowance should be made for the darkening of same by drying.



